

	Application No.	Applicant(s)
Notice of Allowability		
	10/775,702 Examiner	YAGISAWA ET AL. Art Unit
	Examiner	Artonit
	Matthew Bradley	2187
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed 19 October 2007</u> .		
2. The allowed claim(s) is/are 22-43.		
 3.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Adda alama and/a)		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	· •
3. ☐ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Dat 7. ⊠ Examiner's Amendn	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9.	

10/775,702 Art Unit: 2187

DETAILED ACTION

Response to Amendment

This Office Action has been issued in response to amendment filed 19 October 2007. Applicant's arguments have been carefully and fully considered and are persuasive.

Examiner's Comment

NOTE: The numbering of claims is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. When claims are canceled, the remaining claims must not be renumbered. When new claims are presented, they must be numbered consecutively beginning with the number next following the highest numbered claims previously presented (whether entered or not).

Misnumbered claims 1-22 being presently indicated as cancelled have been renumbered 1-21 consistent with the instant remarks and prosecution history.

Claim Status

Claims 22-43 remain pending and are ready for examination.

Allowable Subject Matter

Claims 22-43 are allowed.

The following is an Examiner's statement of reasons for allowance: the prior art made of record teaches a hot spare mirror for a RAID system, but fails to teach the combination including the limitation of:

Application/Control Number:

10/775,702

Art Unit: 2187

(Claim 22) "... after starting to mirror data between the one of the first disks and the at least one second disk, the control section is configured to stop mirroring data between the one of the first disks and the at least one second disk, before completing mirroring data between the one of the first disks and the at least one second disk, and start to mirror data between another one of the first disks and the at least one second disk, according to the error status of the one of the first disks and the another one of the first disks.":

(Claim 33) "... after starting to mirror data between the one of the first disks and the at least one second disk, the control section is configured to stop mirroring data between the one of the first disks and the at least one second disk, before completing mirroring data between the one of the first disks and the at least one second disk, and start to mirror data between another one of the first disks and the at least one second disk, according to the error status of the one of the first disks and the another one of the first disks.";

As dependent claims **23-32** and **34-43** depend from an allowable base claim; they are at least allowable for the same reasons as noted *supra*.

The prior art made of record neither anticipates nor renders obvious the aboverecited combinations for at least the reasons specified and as shown in Applicant's Arguments filed 19 October 2007.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

10/775,702 Art Unit: 2187

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Response to Arguments

Applicant's arguments filed 19 October 2007 have been carefully and fully considered, and are persuasive. As noted *supra* the case is in condition for allowance.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Matthew Bradley whose telephone number is (571) 272-8575. The examiner can normally be reached on 6:30-3:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Donald A. Sparks can be reached on (571) 272-4201. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

10/775,702 Art Unit: 2187

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DAS/mb

DONALD SPARKS
SUPERVISORY PATENT EXAMINER